

### LISTING OF THE CLAIMS

This listing of the claims replaces all prior versions and listings of the claims in the Subject Application:

1 - 49. (*Canceled*)

50. (*Previously Presented*) A non-stoichiometric nanomaterial comprising two or more elements having a composition different than that required for stoichiometric bonding between the two or more elements, the composition represented by the formula:



wherein M comprises an element that can lower its free energy by chemically bonding with Z;

wherein Z comprises a chalcogen;

wherein n and p are integers greater than or equal to 1;

wherein  $0.01 < x < 0.99$ ; and

wherein a value for a selected material property of the non-stoichiometric nanomaterial is greater than 10% different from a value for the same property for a stoichiometric form of the nanomaterial.

51. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein M is selected from the group consisting of: Ti, Mn, Fe, Ni, Zn, Cu, Sr, Y, Zr, Ta, W, Sc, V, Co, In, Li, Hf, Nb, Mo, Sn, Sb, Al, Ce, Pr, Be, Np, Pa, Gd, Dy, Os, Pt, Pd, Ag, Eu, Er, Yb, Ba, Ga, Cs, Na, K, Mg, Pm, Pr, Ni, Bi, Tl, Ir, Rb, Ca, La, Ac, Re, Hg, Cd, As, Th, Nd, Th, Md, and Au.

52. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein  $0.02 < x < 0.98$ .

53. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein  $0.05 < x < 0.95$ .

54. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein the domain size of the material is less than 5 times the mean free path of electrons in the material.

55. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein the domain size of the material is less than 100 nanometers.

56. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein the nanomaterial comprises two or more elements M that can lower their free energy by chemically bonding with Z.

57. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein the nanomaterial comprises more than one element Z.

58. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein the nanomaterial comprises more than one element M and more than one element Z.


59. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein the nanomaterial comprises a multimetallic nanopowder having an aspect ratio in a range of 1-25.

60. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein the nanomaterial comprises a polymetallic nanopowder comprising at least three metals and at least one chalcogen anion, and having a minimum dimension of less than 100 nm and an aspect ratio of 25 or less.

61. (*Previously Presented*) The non-stoichiometric nanomaterial of claim 50, wherein the nanomaterial comprises a nanofiller dispersed in a polymer matrix, thereby forming a nanostructured composite material.

62. (*Previously Presented*) A coating composition comprising the non-stoichiometric nanomaterial of claim 50.

63. (*Previously Presented*) A nanostructured composite material comprising:  
a polymer matrix; and  
a nanofiller dispersed in the polymer matrix;  
wherein the nanofiller comprises a non-stoichiometric nanomaterial comprising two or more elements having a composition different than that required for stoichiometric bonding between the two or more elements, the composition represented by the formula:



wherein M comprises an element that can lower its free energy by chemically bonding with Z;

wherein Z comprises a chalcogen;

wherein n and p are integers greater than or equal to 1; and

wherein  $0.01 < x < 0.99$ ; and

wherein a value for a selected material property of the nanostructured composite material comprising the nanofiller is at least 20% different from a value for the same property for an otherwise identical composite material comprising a micron-scale filler.

64. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the nanofiller comprises a polymer coated nanofiller.

65. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the nanofiller comprises a monomer coated nanofiller.

66. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the composite material comprises a coating composition.

67. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein M is selected from the group consisting of: Ti, Mn, Fe, Ni, Zn, Cu, Sr, Y, Zr, Ta, W, Sc, V, Co, In, Li, Hf, Nb, Mo, Sn, Sb, Al, Ce, Pr, Be, Np, Pa, Gd, Dy, Os, Pt, Pd, Ag, Eu, Er, Yb, Ba, Ga, Cs, Na, K, Mg, Pm, Pr, Ni, Bi, Tl, Ir, Rb, Ca, La, Ac, Re, Hg, Cd, As, Th, Nd, Th, Md, and Au.

68. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein  $0.02 < x < 0.98$ .

69. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein  $0.05 < x < 0.95$ .

70. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the domain size of the material is less than 5 times the mean free path of electrons in the material.

71. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the domain size of the material is less than 100 nanometers.

72. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the nanomaterial comprises two or more elements M that can lower their free energy by chemically bonding with Z.

73. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the nanomaterial comprises more than one element Z.

74. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the nanomaterial comprises more than one element M and more than one element Z.

75. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the nanomaterial comprises a multimetallic nanopowder having an aspect ratio in a range of 1-25.

76. (*Currently Amended*) The nanostructured composite material of claim 63 [[64]], wherein the nanomaterial comprises a polymetallic nanopowder comprising at least three metals and at least one anion, and having a minimum dimension of less than 100 nm and an aspect ratio of 25 or less.

77. (*Previously Presented*) A non-stoichiometric nanomaterial comprising two or more elements having a composition different than that required for stoichiometric bonding between the two or more elements, the composition represented by the formula:



wherein M comprises an element that can lower its free energy by chemically bonding with Z;

wherein Z comprises an element selected from the group consisting of B, C, Si, N, P, O, S, Se, Te, and H;

wherein n and p are integers greater than or equal to 1;

wherein  $0 < x < 1$ ; and

wherein a value for a selected material property of the non-stoichiometric nanomaterial is greater than 10% different from a value for the same property for a stoichiometric form of the nanomaterial.

78. (*Previously Presented*) A nanostructured composite material comprising:  
a polymer matrix; and  
a nanofiller dispersed in the polymer matrix;  
wherein the nanofiller comprises a non-stoichiometric nanomaterial comprising  
two or more elements having a composition different than that required for  
stoichiometric bonding between the two or more elements, the composition represented  
by the formula:



wherein M comprises an element that can lower its free energy by  
chemically bonding with Z;

wherein Z comprises an element selected from the group consisting of B,  
C, Si, N, P, O, S, Se, Te, and H;

wherein n and p are integers greater than or equal to 1;

wherein  $0 < x < 1$ ; and

wherein a value for a selected material property of the nanostructured composite  
material comprising the nanofiller is at least 20% different from a value for the same  
property for an otherwise identical composite material comprising a micron-scale filler.